

101684,051-

Cofe



### **CERTIFICATE OF MAILING**

I hereby certify that this correspondence is being deposited with the United States Postal Service as first class mail in an envelope addressed to Mail Stop Decision and Certificate of Correction Branch of the Patent Issue Division Certificate of Correction, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450 on January 6, 2005

Keith R. Haupt  
Keith R. Haupt, Reg. No. 37,638

January 6, 2005  
Date

PATENT

### **IN THE UNITED STATES PATENT AND TRADEMARK OFFICE**

Patent Number: 6,810,922 B1  
Issued: November 2, 2004  
Patentee: Rodger P. Grantham  
Title: VAPOR RECOVERY SYSTEM WITH IMPROVED ORVR  
COMPATIBILITY AND PERFORMANCE  
Attorney Docket: 61055

Cincinnati, Ohio

Date: January 6, 2005

Mail Stop DECISION AND CERTIFICATE OF CORRECTION BRANCH  
OF THE PATENT ISSUE DIVISION

Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450

Sir:

**Certificate**  
**JAN 18 2005**  
**of Correction**

### **REQUEST FOR CERTIFICATE OF CORRECTION OF PATENT FOR PTO MISTAKE**

It is respectfully requested that a Certificate of Correction be issued for the patent identified in the heading. The patent contains errors that occurred through the fault of the Patent Office.

Corrections reported for Patent Office mistakes are made pursuant to 37 C.F.R. §1.322. Should the Examiner determine that such errors are for mistakes of

JAN 18 2005

applicant, request to correct such matters is alternatively made under 37 C.F.R. §1.323.

In accordance with the established procedure for handling such certificates, two copies of Form PTO-1050 are enclosed herewith listing the errors.

Should any further fees be required, authorization is hereby given to charge such fees to deposit account 23-3000.

In the specification

In column 2, line 64, "601461,097" should read --60/461,097--.


In the Claims

In column 8, line 31, "spring the" should read --spring biasing the--.

In column 8, line 37, "coupled opposite" should read --coupled to opposite--.

Respectfully submitted,

WOOD, HERRON & EVANS, L.L.P.

By:   
Keith R. Haupt, Reg. No. 37,638

2700 Carew Tower  
441 Vine Street  
Cincinnati, Ohio 45202  
PH: (513) 241-2324  
FX: (513) 421-7269  
[khaupt@whepatent.com](mailto:khaupt@whepatent.com)  
K:\VST\15\coc transmittal.wpd

**UNITED STATES PATENT AND TRADEMARK OFFICE  
CERTIFICATE OF CORRECTION**

PATENT NO. : 6,810,922 *B1*  
DATED : November 2, 2004  
INVENTOR(S) : Rodger P. Grantham

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

In column 2, line 64, "601461,097" should read --60/461,097--.

In column 8, line 31, "spring the" should read --spring biasing the--.

In column 8, line 37, "coupled opposite" should read --coupled to opposite--.

**MAILING ADDRESS OF SENDER:**

Keith R. Haupt, Esq.  
Wood, Herron & Evans, LLP  
2700 Carew Tower  
Cincinnati, Ohio 45202

PATENT NO. 6,810,922

No. of additional copies



This collection of information is required by 37 CFR 1.322, 1.323, and 1.324. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 1.0 hour to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Attention Certificate of Corrections Branch, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

*If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.*

**JAN 18 2005**